

Version 1.1 - June 2024

<u>Unitronics UCR Routers – Firmware Upgrade Process</u>

Introduction

This procedure describes the necessary steps required to upgrade Unitronics UCR Routers from firmware version 6 to firmware version 7.

Upgrade Steps

- 1. Verification
 - a. Login into the router web user interface.
 - b. On the "Overview" page, check the current "Firmware Version" under the "System" section.

Overview

System 💷 🖸		9.0% CPU load	
Router uptime	0d 0h 6m 23s(since 2020-03-16, 05:37:36)		
Local device time	2020-03-16, 05:43:59		
Memory usage	RAM: 47% used	FLASH: 14% used	
Firmware version			

- c. UCR version 6 firmware versions are:
 - i. B5 Models: *UCR_R_17.01.12.XXX*
 - ii. B8 Models: UCR_R_51.06.06.XXX

Make sure that the current router firmware meets the above format.

- d. UCR Router has firmware earlier than:
 - i. B5 Models: UCR_R_17.01.12.123
 - ii. B8 Models: UCRBB_R_00.06.09.5_WEBUI Transition version only!

For the B8 models, if the verification process fails, first upgrade to the above-mentioned version and perform the version 7 upgrade again. Please pay attention, this intermediate version login password might change to admin01.

- e. Download the latest firmware files from: <u>https://www.unitronicsplc.com/routers/</u> website. Extract the firmware files to your local drive.
- f. To upgrade the firmware, *System -> Firmware*, select the "*upgrade from file*" and choose the relevant firmware file.





Firmware

Current Firmware Information		Firmware Available O	Firmware Available On Server	
Firmware version		Firmware version	No update available	
Firmware build date	2018-12-11, 07:38:19		Obseld for now FIA	
Kernel version	3.18.44		Check for new PW	
Bootloader version	3.0.1			
Firmware Upgrade Setti	ngs			
Keep all settings				
Upgrade from server				

g. Press the "*upgrade*" and confirm the upgrade process after successful firmware verification done by the router.

	routen	Firmware upgrade - verification succeeded				
		The new firmware image was uploaded successfully. This is the last chance to abort the firmware upgrade if required. Click "Upgrade" below to start the firmware upgrade procedure.				
		Chocksum: 0401905700473-54565604-709030433				
		Size: 11.50 MB (15.19 MB available) All configuration files will be kept.				
		Cancel				
h.	Wait fo	or the router to reboot.				

One Integrated Solution for Control & Automation PLC • HMI • VFD • SERVO • UNICLOUD

